Computational results

Conclusions and future work o

Enhancing project resilience: a risk-averse approach to payment delays

Maria Elena Bruni

University of Calabria, CIRRELT

November 2023, @seminarscheduling.com

Heuristi 0000 Computational results

Conclusions and future work

О.

Late payments: the silent killer

intrum

ervices Industry

Reports & Insights About Intrum

European Payment Report 2023

The European Payment Report (EPR) highlights the impact late payments has on the development and growth among European businesses. The insights are based on a survey of 10.556 companies across 29 European countries, conducted between November 2022 and March 2023. You can download the full European report from intrum.com/eer/2023



业 Download the UK report

Inflation and interest rates are creating challenges

Across Europe, growth is slowing down while supply-chain disruption and soaring energy costs drive inflation at a rate not seen for decades. Almost 6 in 10 companies are worried that the risk of late

Strengthening cash flow and managing credit risk top the agenda

Liquidity, cash flow and credit risk management are the main strategic priorities for UK businesses as they seek to secure their financial positions.

Late payments increasingly seen as a significant barrier to growth

Late payments are hindering the growth of UK companies, hampering the economic and social development of the economy. More than 8 in 10 UK businesses have been asked to accept longer payment terms than


Heuristie

Computational results


Conclusions and future work o

Late payments: the silent killer

Due to inflation, we are finding it increasingly difficult to pay our suppliers on time (agree)



In my entire career, cash and financial debt management has never been more of a boardroom priority than it is today (agree)




Source: Intrum's European Payment Report 2023

Heuristic 0000 Computational results

Conclusions and future work

Late payments: the silent killer

Chasing payments is costing Europe a quarter of a trillion euros a year



Computational results

Conclusions and future work o

Late payments: the silent killer

How do late payments impact EU businesses?

500 invoices are sent every second in the EU. However, only 200 of them will be paid on time. Here are some facts about late payments.



More than 60% of EU businesses

are still not paid on time and SMEs are most affected.



1 in 4 bankruptcies

are due to invoices not being paid on time.



€158 million in financing costs

for EU companies could be saved per day by reducing payment delays.



900,000 jobs

could be created in the public sector thanks to timely payments.



20% of businesses

consider payment delays as a barrier to their green transition.

Source: European Commission


Source: https://www.euronews.com/business/2023/09/05/

Heuristic

Computational results


Conclusions and future work

Projects



Construction sector

Construction companies depend on positive cash flows for their daily functioning



Introduction Risk Heuristic Computational results Conclusions and future

Research motivation

How do firms compensate the lack of liquidity generated by (uncertain) payment delays?

Features of the problem

- NPV with delayed payments
- Financing costs
- Uncertainty
- Risk aversion

Heuristi

Computational results

Conclusions and future work

Literature review

Year	Authors	Payments	Uncertainty	Risk	DR	Financing cost
2003	Vanhoucke et al.	Progress	Х	Х	Х	Х
2005	Mika et al.	Different modes	Х	Х	Х	Х
2005	Ke and Liu	Х	Activity duration	Chance constraints	Х	Х
2010	Wiesemann et al.	Х	Activity duration & Cash flows	Х	Х	Х
2016	Leyman and Vanhoucke	At compl. times	X	Х	Х	Х
2017	Leyman and Vanhoucke	At compl. times	Х	Х	Х	Х
2019	Liang et al.	Х	Activity duration	Х	Х	Х
2020	Rezaei et al.	Х	Activity duration	CVaR	Х	Х
2021	Peymankar et al.	Х	Cash Flows	Х	Х	Х
	This paper	At compl. times	Payments delays	CVaR	Yes	Yes

Two-stage distributionally robust model with and without risk aversion for the NPV maximization with financing costs

ntroduction	
000000000000000000000000000000000000000	


0000000000

Heuristi

Computational results

Conclusions and future work

Example



▲□▶ ▲□▶ ▲目▶ ▲目▶ 三目 - のへ⊙


Introduction	
000000000000000000000000000000000000000	

Heuristic

Computational results

Conclusions and future work 0

Example




Introduction	
000000000000000000000000000000000000000	

Heuristi

Computational results

Conclusions and future work

Example




Heuristic

Computational results

Conclusions and future work

Example



▲ロト▲団ト▲目ト▲目ト 目 のなぐ


Introduction	
000000000000000000000000000000000000000	

Heuristie

Computational results

Conclusions and future work

Example



▲□▶ ▲□▶ ▲目▶ ▲目▶ 三日 - のへで

Heuristic 0000 Computational results

Conclusions and future work o

Feature of the problem

Activities


• Precedence relations

Time related concerns

Deadline

Cost related concerns

 Discounted cash flow analysis (NPV) NPV is calculated by taking a sum of all the income and expenses over the time period chosen, and discounting it back to the present



Heuristie

Computational results

Conclusions and future work o

Deterministic problem

Input

- V: set of all nodes
- E: set of all arcs (i.e. immediate precedence relationships)
- T: time horizon
- *d*: deadline for the completion of the project
- β: discount rate
- p_i: duration of activity i ∈ V
- c_i^{in}/c_i^{out} : cash inflow/outflow of activity $i \in V (c_i^{in} > 0), (c_i^{out} < 0)$

$$\begin{aligned} \max & \sum_{i \in V} \sum_{t \in T} \frac{c_i^{out}}{(1+\beta)^t} x_{it} + \frac{c_i^{in}}{(1+\beta)^t} q_{it} \\ & \sum_{t \in T} x_{it} = 1 \quad \forall i \in V \\ & \sum_{t \in T} tx_{jt} \geq \sum_{t \in T} tx_{it} + p_i \quad \forall (i,j) \in E \\ & \sum_{t \in T} tq_{it} = \sum_{t \in T} tx_{it} + p_i \quad \forall i \in V \\ & \sum_{t \in T} q_{it} = 1 \quad \forall i \in V \\ & \sum_{t \in T} tx_{(n+1)t} + p_{n+1} \leq \overline{d} \\ & q_{it}, x_{it} \in \{0,1\} \quad \forall i \in V, t \in T \end{aligned}$$

メロト メロト メヨト メヨ

Computational results

Conclusions and future work



Conclusions and future work $_{\rm O}$

Setting the problem as a two-stage SIP

Goal: Maximize first stage objective+ Expected value of the second stage decisions

Hedge against uncertainty= Enhance resilience

Conclusions and future work o

Setting the problem as a two-stage SIP

(Stage 1 decision) -Uncertainty-Stage 2 decision

Goal: Maximize first stage objective+ Expected value of the second stage decisions

Hedge against uncertainty= Enhance resilience

Conclusions and future work $_{\rm O}$

Setting the problem as a two-stage SIP

(Stage 1 decision) –Uncertainty—Stage 2 decision

If, when, and how much to use short-term financing

Goal: Maximize first stage objective+ Expected value of the second stage decisions

Hedge against uncertainty= Enhance resilience

Heuristi

Computational results

Conclusions and future work $_{\rm O}$

General SIP formulation

$$\max f(x) = c^{T} x + E[Q(x, \omega)]$$

s.t. $Ax \ge b, x \in \mathcal{R}^{n_1 - p_1} \times \mathcal{Z}^{p_1}$

$$egin{aligned} Q(x,\omega) &= \max \ q(\omega)^{\mathsf{T}} z \ s.t. & Wz \geq h(\omega) - \mathcal{T}(\omega) x \ & z \in \mathcal{R}^{n_2-p_2} imes \mathcal{Z}^{p_2} \end{aligned}$$

where

- $\blacksquare \omega$ random event
- Q(x, ω) is the second-stage objective function
- $T(\omega)$ is the recourse matrix
- x are first-stage decisions
- z are second-stage decisions

Heuristic 0000 Computational results

Conclusions and future work o

Decision Variables



${\sf Second}{\sf -}{\sf Stage}$

 $\begin{bmatrix} 1 & \text{if payment for activity } i & \text{is received at time } t \end{bmatrix}$

$$q_{it}^{\omega} = \langle under \text{ scenario } \omega \in \Omega \rangle$$

- 0 otherwise
- $I_t^\omega \geq 0$ short-term loan contracted at period t in scenario ω

ntroduction	Risk 0000000000	Heuristic 0000	Computational results	Conclusions and future work

First-stage model

$$\begin{split} ENPV &= \max \quad \sum_{i \in V} \sum_{t \in T} \frac{c_i^{out}}{(1+\beta)^t} x_{it} + E_{\xi}[\mathbb{Q}(\mathbf{x}, \xi(\omega))] \\ \sum_{t \in T} x_{it} &= 1 \quad \forall i \in V \\ \sum_{t \in T} tx_{jt} \geq \sum_{t \in T} tx_{it} + p_i \quad \forall (i,j) \in E \\ \sum_{t \in T} tx_{(n+1)t} + p_{n+1} \leq \overline{d} \\ x_{it} \in \{0,1\} \quad \forall i \in V, t \in T \end{split}$$

Heuristic 0000 Computational results

Conclusions and future work

Second stage constraints ($\forall \omega \in \Omega$)

$$\begin{split} \sum_{t \in T} tq_{it}^{\omega} &= \sum_{t \in T} tx_{it} + p_i + \xi_i^{\omega} & \forall i \in V \\ \sum_{t \in T} q_{it}^{\omega} &= 1 & \forall i \in V \\ C_0 + \sum_{i \in V} \sum_{t' \leq t} c_i^{out} x_{it'} + \sum_{i \in V} \sum_{t' \leq t} c_i^{in} q_{it'}^{\omega} + \sum_{t' \leq t} l_t^{\omega} \geq 0 & \forall t \in T \\ q_{it}^{\omega} \in \{0, 1\} & \forall i \in V, t \in T \\ l_t^{\omega} \geq 0 & \forall t \in T \end{split}$$

Heuristic 0000 Computational results

Conclusions and future work


Recourse function

$$Q(\mathbf{x}, \xi(\omega)) =$$
$$= \max \sum_{i \in V} \sum_{t \in T} \frac{c_i^{in}}{(1+\beta)^t} q_{it}^{\omega} + \sum_{t \in T} \frac{l_t^{\omega}}{(1+\beta)^t} - \sum_{t \in T} \frac{l_t^{\omega} (1+r)^{\mathcal{T}-t}}{(1+\beta)^{\mathcal{T}}}$$

▲□▶▲□▶▲≡▶▲≡▶ ≡ のQ@

Introduction 0000000000000000000	Risk 0000000000	Heuristic 0000	Computational results	

Borrowing policy



Risk ●000000000 Heuristic 0000 Computational results


Conclusions and future work

Well known risk and safety measures

$$VaR(ilde{z}) = \min_{\eta}(\eta|\mathbf{P}(ilde{z} \leq \eta) = F_{ ilde{z}}(\eta) \geq eta)$$

Conditional Value at Risk

Quantifies the expected value of the random variable \tilde{z} in the worst $1 - \beta$ % of cases described as follows: $CVaR = E[\tilde{z}|\tilde{z} \ge VaR].$



Maria Elena Bruni

Risk o●oooooooo Heurist 0000 Computational results


Conclusions and future work

Well known risk and safety measures

$$SVaR(ilde{z}) = \max_{\eta} (\eta | \mathbf{P}(ilde{z} \ge \eta) \ge lpha)$$

Conditional Value at Risk

Quantifies the expected value of the random variable \tilde{z} in the worst $1 - \alpha$ % of cases described as follows: $SCVaR = E[\tilde{z}|\tilde{z} \leq SVaR].$



Maria Elena Bruni

Risk oo●ooooooo

Heuristic 0000 Computational results

Conclusions and future work

Reformulation for discrete set of scenarios

Conditional Value at Risk

$$\mathcal{SCVaR}[\mathsf{Q}(\mathsf{x},\xi(\omega))] = \max_{\eta\in\mathcal{R}^+}\eta - rac{\mathcal{E}_{\xi}[(\eta - \mathsf{Q}(\mathsf{x},\xi(\omega)))^+]}{1-lpha}$$

Reformulation

$$egin{aligned} &\max_{\eta\in\mathcal{R}^+}\eta-rac{\sum_{\omega}\mathcal{P}^{\omega}\gamma^{\omega}}{1-lpha}\ &\gamma^{\omega}&=\eta-\mathsf{Q}(\mathbf{x},\xi(\omega)) &orall \omega\ &\gamma^{\omega}&\geq 0 &orall \omega \end{aligned}$$

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ ─臣 ─の�?


uristic 00

Computational results

Conclusions and future work o

Ambiguity in the probability distribution

Let $\boldsymbol{\Xi}$ be a family of probability distributions with given characteristics.



Box Ambiguity Set

$$\boldsymbol{\Xi} = \{ \boldsymbol{p} = \boldsymbol{p_0} + \boldsymbol{\pi} | \boldsymbol{e^T} \boldsymbol{\pi} = \boldsymbol{0}, \| \boldsymbol{\pi} \|_1 \leq \boldsymbol{\Psi} \}$$

where π is a perturbation vector and $\Psi \in [0,1]$ is the upper bound of the fluctuation.

Maria Elena Bruni

$$\inf_{\xi\in\Xi}\max_{\eta\in\mathcal{R}^+}\eta-\frac{\textit{E}_{\xi}[(\eta-\textsf{Q}(\textsf{x},\xi(\omega)))^+]}{1-\alpha}$$

$$\inf_{\xi \in \Xi} \max_{\eta \in \mathcal{R}^+} \eta - \frac{E_{\xi}[(\eta - \mathsf{Q}(\mathsf{x}, \xi(\omega)))^+]}{1 - \alpha}$$

$$\max_{\eta \in \mathcal{R}^+} \eta - \frac{1}{1 - \alpha} \min_{\xi \in \Xi} E_{\xi}[(\eta - \mathsf{Q}(\mathbf{x}, \xi(\omega)))^+]$$

・ロト ・回 ・ ・ ヨ ・ ・ ヨ ・ うへぐ

Risk 00000●0000

Heuristi 0000 Computational results

Conclusions and future work

Toward a deterministic reformulation

$$\begin{split} \max_{\eta \in \mathcal{R}^{+}} \eta &= \frac{1}{1 - \alpha} \min_{\xi \in \Xi} E_{\xi} [(\eta - Q(\mathbf{x}, \xi(\omega)))^{+}] \\ \min_{\eta \in \mathcal{R}^{+}} \eta &= \sum_{\omega} p^{\omega} \gamma^{\omega} \\ \gamma^{\omega} &= \eta - Q(\mathbf{x}, \xi(\omega)) \quad \forall \omega \\ \gamma^{\omega} &\ge 0 \qquad \forall \omega \end{split} \qquad \begin{aligned} \min_{\pi} \gamma^{T} \mathbf{p} \\ \gamma^{\omega} &= \eta - Q(\mathbf{x}, \xi(\omega)) \quad \forall \omega \\ \gamma^{\omega} &\ge 0 \qquad \forall \omega \end{aligned} \qquad \begin{aligned} \mathbf{p} &= \mathbf{p}_{0} + \pi \\ \mathbf{e}^{T} \pi &= 0 \\ \|\pi\|_{1} \leq \Psi \end{split}$$

Maria Elena Bruni

Risk 000000●000

Heuristi 0000 Computational results

Conclusions and future work

Toward a deterministic reformulation

$$\begin{split} \min_{\pi} \gamma^{T} \mathbf{p} \\ \gamma^{\omega} &= \eta - \mathsf{Q}(\mathbf{x}, \xi(\omega)) \quad \forall \omega \\ \gamma^{\omega} &\geq 0 \qquad \forall \omega \\ \mathbf{p} &= \mathbf{p}_{0} + \pi \\ \mathbf{e}^{\mathsf{T}} \pi &= 0 \\ \|\pi\|_{1} \leq \Psi \end{split}$$

$$\gamma^{T} \mathbf{p}_{0} + \min_{\pi} \gamma^{T} \pi$$

$$\gamma^{\omega} = \eta - \mathbf{Q}(\mathbf{x}, \xi(\omega)) \quad \forall \omega$$

$$\gamma^{\omega} \ge 0 \qquad \forall \omega$$

$$\mathbf{e}^{T} \pi = 0$$

$$-\pi \le \mathbf{\Psi}$$

$$\pi \le \mathbf{\Psi}$$

$$\mathbf{\Psi} = \mathbf{\Psi} \mathbf{e}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 三日 - のへで

Heuristi

Computational results

Conclusions and future work o

Toward a deterministic reformulation

$$\gamma^{T} \mathbf{p}_{0} + \min_{\pi} \gamma^{T} \pi$$
$$\mathbf{e}^{T} \pi = 0$$
$$-\pi \leq \Psi$$
$$\pi \leq \Psi$$

▲□▶▲圖▶▲圖▶▲圖▶ = ● ● ●

Heuristi

Computational results

Conclusions and future work

Toward a deterministic reformulation

$$\gamma^{T} \mathbf{p}_{0} + \min_{\pi} \gamma^{T} \pi$$
$$\mathbf{e}^{T} \pi = 0 \qquad \mu$$
$$-\pi \leq \Psi \qquad \beta$$
$$\pi \leq \Psi \qquad \delta$$

・ロト ・回 ト ・ヨト ・ヨト ・ヨー うへの

Risk 0000000●00

Heurist 0000 Computational results

Conclusions and future work

Toward a deterministic reformulation

$$\begin{aligned} \gamma^T \mathbf{p_0} + \min_{\pi} \gamma^T \pi \\ \mathbf{e^T} \pi &= 0 \qquad \mu \\ -\pi &\leq \Psi \qquad \beta \\ \pi &\leq \Psi \qquad \delta \end{aligned}$$

$$\begin{split} \gamma^{T} \mathbf{p_{0}} + \max_{\beta,\delta,\mu} \mathbf{\Psi}^{T} \beta + \mathbf{\Psi}^{T} \delta \\ \mathbf{e} \mu - \beta + \delta &= \gamma \\ \beta &\geq 0 \\ \delta &\geq 0 \\ \mu \quad \text{free} \end{split}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 三日 - のへで

Risk 00000000●0

Heurist 0000 Computational results

Conclusions and future work

The risk-averse distributional robust model


$$\begin{split} \max \sum_{i \in V} \sum_{t \in T} \frac{c_i^{out}}{(1+\beta)^t} x_{it} + \eta - \frac{\gamma^T \mathbf{p}_0 + \mathbf{\Psi}^T \beta + \mathbf{\Psi}^T \delta}{1-\alpha} \\ \text{First and second stage constraints} \\ \mathbf{e}\mu - \beta + \delta = \gamma \\ \beta \geq 0 \\ \delta \geq 0 \\ \gamma \geq 0 \\ \mu \quad \text{free} \end{split}$$

Risk oooooooooo

Heuristic

Computational results


Conclusions and future work



Heuristic ●000 Computational results

Conclusions and future work

Heuristic



Maria Elena Bruni

Heuristic 0●00 Computational results

Conclusions and future work 0

Master problem

$$\begin{split} MP^{0} &= \max \quad \sum_{i \in V} \sum_{t \in T} \frac{c_{i}^{out}}{(1+\beta)^{t}} x_{it} + \zeta \\ \zeta &\leq \sum_{i \in V} \sum_{t \in T} \frac{c_{i}^{in}}{(1+\beta)^{t}} \hat{q}_{it} + \sum_{t \in T} \frac{\hat{h}_{t}}{(1+\beta)^{t}} - \sum_{t \in T} \frac{\hat{h}_{t}(1+r)^{T-t}}{(1+\beta)^{T}} \\ \sum_{t \in T} x_{it} &= 1 \quad \forall i \in V \\ \sum_{t \in T} tx_{it} &\geq \sum_{t \in T} tx_{it} + p_{i} \quad \forall (i,j) \in E \\ \sum_{t \in T} tx_{(n+1)t} + p_{n+1} &\leq \overline{d} \\ \sum_{t \in T} t\hat{q}_{it} &= \sum_{t \in T} tx_{it} + p_{i} + \hat{\xi}_{i} \quad \forall i \in V \\ \sum_{t \in T} \hat{q}_{it} &= 1 \quad \forall i \in V \\ C_{0} + \sum_{t \in V} \sum_{t' \leq t} c_{i}^{out} x_{it'} + \sum_{i \in V} \sum_{t' \leq t} c_{i}^{in} \hat{q}_{it'} + \sum_{t' \leq t} \hat{h}_{t} \geq 0 \quad \forall t \in T \\ x_{it} \in \{0, 1\} \quad \forall i \in V, t \in T \\ \hat{q}_{it} \in \{0, 1\} \quad \forall i \in V, t \in T \\ \hat{h}_{t} \geq 0 \quad \forall t \in T \end{split}$$

Maria Elena Bruni

Heuristic 00●0 Computational results

Conclusions and future work 0

Subproblem

$$q_{it}^{\kappa\omega} = egin{cases} 1, & ext{if } \sum_{t'\in\mathcal{T}} (t'x_{it'}^{\kappa} + p_i + \xi_i^{\kappa\omega}) = t \ 0, & ext{otherwise}. \end{cases}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 三目 - のへ⊙

Introduction	

Heuristic

Computational results

Conclusions and future work

Subproblem

$Q_{LB}^{\kappa} = \max \eta - \frac{\sum_{\omega \in \Omega} [\gamma^{\omega} \rho_0^{\omega} + \Psi^{\omega} \beta^{\omega} + \Psi^{\omega} \delta^{\omega}]}{1 - \alpha}$	
$\sum_{t' \leq t} l_t^{\omega} \geq \sum_{i \in V} \sum_{t' \leq t} c_i^{out} x_{it'}^{\kappa} + \sum_{i \in V} \sum_{t' \leq t} c_i^{in} q_{it'}^{\kappa \omega}$	$\forall t \in \mathcal{T}, \forall \omega \in \Omega$
$\gamma^{\omega} = \eta - \sum_{t \in \mathcal{T}} \frac{c_i^{in}}{(1+\beta)^t} q_{it}^{\kappa\omega} + \sum_{t \in \mathcal{T}} \frac{l_t^{\omega}}{(1+\beta)^t} - \sum_{t \in \mathcal{T}} \frac{l_t^{\omega}(1+r)^{\mathcal{T}-t}}{(1+\beta)^{\mathcal{T}}}$	$\forall \omega \in \Omega$
$\mu - \beta^{\omega} + \delta^{\omega} = \gamma^{\omega}$	$\forall \omega \in \Omega$
$eta^{\omega} \geq 0$	$\forall \omega \in \Omega$
$\delta^\omega \geq 0$	$\forall \omega \in \Omega$
$\gamma^{\omega} \geq 0$	$\forall \omega \in \Omega$
$l_t^\omega \ge 0$	$\forall t \in T, \forall \omega \in \Omega$
μ	free

Heuristic 000● Computational results

Conclusions and future work 0

Cuts

Integer cut
$$\zeta \leq (Q_{LB}^{\kappa})[1 + \sum_{i \in V, t \in T \mid x_{it}^{\kappa} = 1} (1 - x_{it}) + \sum_{i \in V, t \in T \mid x_{it}^{\kappa} = 0} x_{it}]$$

No-good cut

$$\sum_{(i,t)|x_{it}^\kappa=1} (1-x_{it}) \geq 1$$


◆□▶ ◆□▶ ◆臣▶ ◆臣▶ ─臣 ─のへで

Heuristi

Computational results

Conclusions and future work

Sensitivity to the loan interest rate




Risk 00000000000 Heuristi

Computational results

Conclusions and future work

Two-stage stochastic model



 Heurist 0000 Computational results

Conclusions and future work

・ロト ・四ト ・ヨト ・ヨト

2

Sensitivity to ψ and α values




Figure: NPV function for different ψ and α values.

Risk 0000000000 Heuristi 0000 Computational results

Conclusions and future work

イロト イロト イヨト イヨト

2

Price of distributional robustness




Figure: Price of distributional robustness for different values of ψ and α .

Heuristic performance

- 10 instances from the DC2 data set of Vanhoucke (2010)
- 9 combinations of the distribution of the cash flow
- Three values (0.25, 0.50, 0.75) for the capital constrainedness (CC)

イロト イポト イヨト イヨト

э

- Three scenarios cardinalities $|\Omega| = \{20, 40, 60\}$
- Four values for $\psi = 0, 0.05, 0.1, 0.2$
- Four values for $\alpha = 0, 0.1, 0.3, 0.5$

Risk 0000000000 Heuristic 0000 Computational results

Conclusions and future work

Heuristic performance




Figure: Heuristic versus exact solution: CPU time.




Figure: Heuristic Gap% for different scenario cardinalities.

Limitations

The size of the model

Future research

- Design of a tailored solution approach
- Different payments modes
- Hybridization with forecasting techniques